

## **Listing and Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A method of coding a video image displayed on a plasma display panel comprising a plurality of cells arranged in rows and columns, the video levels of the pixels of the image being defined by n-bit video words, each bit, depending on its state, illuminating or not illuminating the cell to which it is addressed for a specific time called the subfield, wherein, for video levels GL1 and GL2 to be displayed by a pair of cells situated in the same column and in two adjacent rows of the panel, video words VW1 and VW2 are selected, said words comprising at least one common bit addressed simultaneously to the two cells at the moment of displaying the image and corresponding to levels equal or approximately equal to the video levels GL1 and GL2 such that, if  $GL1 > GL2$ , then the temporal centre of gravity of the illumination generated by the video word VW1 is greater than that generated by the video word VW2 below a predetermined video level.

2. (Previously Presented) The method according to Claim 1, wherein the video words VW1 and VW2 selected comprise k common bits, each common bit being simultaneously addressed to the two cells of the pair during what is called a common subfield, k being greater than 1.

3. (Previously Presented) The method according to Claim 2, wherein, to select the video words VW1 and VW2, the following steps are carried out:

(a) a set of  $p$  video words whose temporal centre of gravity increases continuously as the corresponding video level increases is defined;

(b) two video words whose corresponding video levels  $GL1'$  and  $GL2'$  are equal or approximately equal to the video levels  $GL1$  and  $GL2$ , respectively, are determined from the said  $p$  video words;

(c) one or other of the two video words determined in step (b) is selected; and

(d) the video word whose temporal centre of gravity and video level are closest to those of the video word not selected in step (c) is selected from all the possible video word having bits with the same value as the video words selected for the common subfields.

4. (Previously Presented) The method according to Claim 2, wherein, in order to select the video words  $VW1$  and  $VW2$ , the following steps are carried out:

(a) a set of  $p$  video words whose temporal centre of gravity increases continuously as the corresponding video level increases is defined;

(b) the pair of video words whose corresponding video levels  $GL1'$  and  $GL2'$  are equal or approximately equal to the video levels  $GL1$  and  $GL2$ , respectively, are determined from the said  $p$  video words; and

(c) the pair of video words whose temporal centres of gravity and video levels are closest to those of the pair of video words determined in step (b) is selected from all the possible video words having bits with the same value as the video word selected for the common subfields.

5. (Currently Amended) A system for coding a video image system for a plasma display panel comprising:

a coding module responsive to a video signal for coding said video image to provide coded video image data at an output thereof, wherein a plurality of cells are arranged in rows and columns, and wherein the video levels of the pixels of the image being are defined by n-bit video words, each bit, depending on its state, illuminating or not illuminating the cell to which it is addressed for a specific time called the subfield, wherein, for video levels GL1 and GL2 to be displayed by a pair of cells situated in the same column and in two adjacent rows of the panel, video words VW1 and VW2 are selected via said coding module, said words comprising at least one common bit addressed simultaneously to the two cells at the moment of displaying the image and corresponding to levels equal or approximately equal to the video levels GL1 and GL2 such that, if  $GL1 > GL2$ , then the temporal centre of gravity of the illumination generated by the video word VW1 is greater than that generated by the video word VW2 below a predetermined video level.